

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clew Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I object to this planning application on Public health and safety grounds.

NIH (National Library of Medicine) Various Article's to health issues, impacts and effects of 5G Wireless communication, Electromagnetic pollution, Microwave radiation and Millimeter exposure.
https://pubmed.ncbi.nlm.nih.gov/?linkname=pubmed_pubmed&from_uid=31540320

To quote Martin L Pall, PhD, Emeritus Professor of Biochemistry and Medical Sciences at Washington State University, "Putting tens of millions of 5G antennas, without a single biological test of safety, has to be about the stupidest idea anyone has had in the history of the world". Professor Pall is wrong, however: it is not a stupid idea but a heinous crime if one understands the motive behind this deployment. 5G is a compartmentalized weapons deployment masquerading as a benign technological advance for enhanced communications and faster downloads. The globalist false propaganda falls away with one simple undisputed fact: their PCR test patent for Covid-19, which was filed in 2015, was never able to identify a live virus, so that it could be utilized to terrorize ignorant and unsuspecting populations across the world into taking a Covid-19 vaccine polluted with a nano antenna technology to hook victims up to the 5G network.

Emerging 5G, autonomous, augmented reality technologies, often referred to by the manufactures as "killer tech", will prove to be exactly that. The laissez-faire approach adopted by regulatory bodies and the telecoms industry encouraged the total disregard of the known biological harm from increasing levels of ionizing and non-ionizing radiation arising from the mass deployment of these technologies, which were developed for battlefield use. Non-governmental organizations, individuals and groups have had to take court action

against government safety regulatory organizations as they have ignored the precautionary principle and disregarded the requirement for standards which are indispensable in law for new and experimental product developments. The whole basis for the existence of regulatory bodies has been corrupted by criminals within these organizations who have destroyed the confidence of the educated public in them. Basic safety requirements have been wilfully ignored by the telecoms industry and the ICNIRP guidelines have been deliberately designed to confuse those who lack technical knowledge.

Download research document on 5G: Great risk for EU, U.S. and International Health! Compelling Evidence for Eight Distinct Types of Great Harm Caused by Electromagnetic Field (EMF) Exposures and the Mechanism that Causes Them.

Written and Compiled by Martin L. Pall, PhD

Professor Emeritus of Biochemistry and Basic Medical Sciences

Washington State University

<https://www.radiationresearch.org/research/dr-martin-palls-latest-compilation-of-emf-medical-research-literature/>

3G / 4G / 5G coverage map, United Kingdom. Cellular data networks in United Kingdom

<https://www.nperf.com/en/map/GB/-/-/signal/?ll=55.751357157443756&lg=-3.4249999999999963&zoom=5>

Open up the menu and look at the other tabs like Provider. Then you are able to Zoom in to street level.

<https://www.cellmapper.net/map?MCC=234&MNC=20&type=LTE&latitude=53.56804581824048&longitude=-0.1363126295396545&zoom=13.539836676525454&showTowers=true&showIcons=true&showTowerLabels=true&clusterEnabled=true&tilesEnabled=true&showOrphans=false&showNoFrequencyOnly=false&showFrequencyOnly=false&showBandwidthOnly=false&DateFilterType=Last&showHex=false&showVerifiedOnly=false&showUnverifiedOnly=false&showLTECAOnly=false&showENDCOnly=true&showBand=0&showSectorColours=true&mapType=roadmap&darkMode=false>

<https://www.startpage.com/do/search?q=interactive%20map%20of%20cell-phone%20towers&segment=startpage.vivaldi>

Environmental Health Trust. <https://ehtrust.org/> WHAT YOU NEED TO KNOW ABOUT 5G.

This site has a wealth of factual knowledge. Take time to watch the:

5G Health and Environmental Impacts : Science and Policy video.

<https://ehtrust.org/key-issues/cell-phoneswireless/5g-internet-everything/20-quick-facts-what-you-need-to-know-about-5g-wireless-and-small-cells/>

Environmental Health Trust. <https://ehtrust.org/> "NATIONAL TOXICOLOGY PROGRAM"

<https://ehtrust.org/?s=national+toxicology+program>

The advent of 5G technology has been hailed by governments and certain vested interests as transformative, promising clear economic and lifestyle benefits, through massively boosting wireless and mobile connectivity at home, work, school and in the community, he says.

But it has become the subject of fierce controversy, fueled by four key areas of scientific uncertainty and concern.

The lack of clarity about precisely what technology is included in 5G; and a growing but far from comprehensive body of laboratory research indicating the biologically disruptive potential of RF-EMFs

An almost total lack (as yet) of high quality epidemiological studies of the impact on human health from 5G EMF exposure

Mounting epidemiological evidence of such effects from previous generations of RF-EMF exposure at lower levels

Persistent allegations that some national telecoms regulatory authorities haven't based their RF-EMF safety policies on the latest science, amid potential conflicts of interest....<https://www.bmj.com/.../stop-global-roll-out-of-5g.../>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: This suggests that despite the UK government's guidelines to councils that they should accept the ICNIRP guidelines as guaranteeing the lack of negative health effects of radiofrequency radiation, the opposite is likely to be the case. ICNIRP limit themselves to thermal effects while there are hundreds if not thousands of scientific studies detailing the cumulative non-thermal effects of even small doses of radiation typical of the levels of the proposed mast: A tiny number of these is listed below:

0.5 to 1.0 mW/m² - Headaches, concentration difficulties, restlessness, tremor, and sleep disruption associated with chronic exposure to mobile phone base stations.

Mobile Phone Base Stations - Effects on Wellbeing and Health, Kundi M and Hutter HP, Pathophysiology, August 2009, 16 (2-3), pp 123-35

5 to 10 mW/m² - At this level it decreases human sperm motility, increases sperm DNA fragmentation, and affects brain activity and cognitive functions.

Conrado Avendaño, et.al., American Society for Reproductive Medicine, Fertility and Sterility, Vol. 97, No. 1, January 2012, pp 39-45

Approaching 30 mW/m² of RF changes in cardiac function, including altered heart rate, arrhythmia, and/or tachycardia were observed.

Magda Havas, Reviews on Environmental Health, Vol. 28, 2-3, November 2013, pp 75-84

In 2011 the International Agency for Research on Cancer (IARC)/World Health Organisation, classified RF radiation as a Group 2B carcinogen. Studies found a correlation between RF

radiation from mobile phones and two kinds of brain tumour: glioma (a cancer) and acoustic neuroma.

A summary of the IARC's conclusions was published in *Lancet Oncology*, 2011, 12, pp 624-26

However, Morgan LL et al. (2015) suggests this to be over cautious, going further to propose a change of classification from 2B possible carcinogen to 2A probable carcinogen:

Morgan LL et al. (2015) 'Mobile phone radiation causes brain tumors and should be classified as a probable human carcinogen (2A) (Review)' *Int J Oncol*. PMID: 25738972.

Moreover, a study on the website of the US National Institutes of Health also insists that IARC revise its stance on health issues. This study shows major damage in terms of cancer, significantly reduced sperm counts, and serious harm to children's brains, stating that developing brains absorb 10 times more radiation than adult brains. The abstract ends: 'current knowledge provides justification for governments, public health authorities, and physicians/allied health professionals to warn the population that having a cell phone next to the body is harmful, and to support measures to reduce all exposures to RFR'. [Emphasis added] (Miller, Anthony B., Margaret E. Sears, L. Lloyd Morgan,³ Devra L. Davis, Lennart Hardell, Mark Oremus, and Colin L. Soskolne (2019) 'Risks to Health and Well-Being From Radio-Frequency Radiation Emitted by Cell Phones and Other Wireless Devices,' *Frontiers in Public Health* 7.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6701402/>

In the Spanish village of Benjarafe more than 30 people died, with 50 out of 400 developing cancer and many others further health issues shortly after the erection of a Vodafone mast. The following report describes an order to remove the mast and provides extensive epidemiological research showing biological harm near masts and other infrastructure:

<https://rfinfo.co.uk/index.php/4-0-d-recent-epidemiologic-neuro-studies-infrastructural-radiation/>

The above literature shows that adding 3G 4G and 5G antennae is neither 'enabling healthy lifestyles' nor providing 'safe spaces'. For nearby businesses, residential properties and pedestrians the knowledge that they are within close proximity of a mast with 5G emissions not tested for safety can be anxiety-inducing. With peer-reviewed research on pulsed-modulated electromagnetic radiation showing harmful biological effects, the remit of 'safe space' is certainly not achieved.

6.0 Precautionary Principle

My understanding of this matter is that it is mandatory that the Council and the applicant consider the possible impact of mobile phone masts, most especially 5G, on members of the public. It is within your own powers as a council to make sure people are safe. Sustainability demands that precaution.

The Precautionary Principle should therefore apply. For instance, we know the roads are dangerous and the Council have put up adequate crossing places for children and pedestrians. Traffic presents visible harm but 5G monopoles and masts are potential invisible harm - anyone

spending a long period of time in the vicinity of a mast that emits radiation all day and night in a dome effect, no matter what the level, is simply not proven to be safe; it is not a natural environment for humans, especially for children and young people.

In respect of the current planning application it should be noted that besides the bus station so near the site, there is a residential building across the main road. This means they will be constantly exposed to the highest level of radiation from the mast as they are so near it, and especially at night, the time when the human body is regenerating and thus most needs protection from such effects. ICNIRP standards discuss short-term exposure to radiation. They make no mention of the effects of exposure 24/7 for long periods of time such as those living in close proximity to masts are forced to endure.

The Precautionary Principle is defined as follows:

"When human activities may lead to morally unacceptable harm that is scientifically plausible but uncertain, actions shall be taken to avoid or diminish that harm."

Many councils and governments are already demanding Precaution and truly protective measures:
<https://rfinfo.co.uk/index.php/legal-actions/>

Closing statement

Many communities are taking action throughout the country and several Councils have felt it prudent formally to affirm their compliance with the Precautionary Principle when facing choices and decisions on any intensification or 'densification' of public or environmental exposure to RFR. This puts matters on hold for up to two years so that more research can be carried out towards making a proper informed decision. As there are currently no studies to provide evidence that there are no detrimental effects on the environment and public health, I would strongly recommend the Council enact the Precautionary Principle to ensure that the public health and environmental consequences of any intensification/densification of RFR are verified before approving ANY new application for telecoms installation of 5G monopoles.

<https://rfinfo.co.uk/index.php/legal-actions/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: MAST OBJECTION -

Appearance: The proposed mast will be obtrusive, ugly and incongruous with the surrounding character and appearance, resulting in detriment to the visual amenities of the area, as well as a harmful impact to the outlook of residential properties nearby.

The mast will have an imposing and overbearing impact on the amenity of the nearby area causing local residents unnecessary upset and anxiety, impacting the quality of the local area.

Traffic Distraction: The mast may create a visual distraction to road users, and its associated equipment cabinets would clutter and degrade the look and feel of the area.

In close proximity to residences and businesses, within 500m of the proposed site, which will be subjected to high levels of radiation beaming from this mast throughout the day and night. The impact of this proposal on the health (including mental health) and well-being of residents must be taken into account, and is a material planning consideration.

Transmitter density required for 5G means that more people will be exposed to radio frequency electromagnetic fields (RF-EMFs), and at levels that emerging evidence suggests, are potentially harmful to health, argues Professor John William Frank, Usher Institute, University of Edinburgh.

5G uses much higher frequency radio waves than in the past and it makes use of very new- and relatively unevaluated, in terms of safety- supportive technology to enable this higher data transmission capacity, points out Professor Frank. <https://www.bmj.com/company/newsroom/stop->

[global-roll-out-of-5g-networks-until-safety-is-confirmed-urges-expert/](#)

Carbon footprint: Each 5G mast requires approximately 3 x more power than a 4G mast (as much as 73 typical homes). <https://spectrum.ieee.org/5gs-waveform-is-a-battery-vampire>

Local authorities are expected to safeguard the quality of the local environment and some have a statutory duty to help conserve biodiversity and species protection as part of the planning process. Councillors are in a position to help preserve the natural environment for the benefit of future generations and to promote sustainability.

With 5G's greatly increased mobile traffic, electricity usage from telecoms could create up to 23% of global greenhouse gas emissions by 2030; power demand would be the equivalent of 36 nuclear reactors or 7800 massive offshore wind farms worldwide. - <https://www.mdpi.com/2078-1547/6/1/117/htm> - <https://www.meer.com/en/64080-green-5g-or-red-alert>

The France, Spain and California Green Parties, the France Climate Change Council, and Greenpeace East Asia have all warned of the climate footprint of 5G - <https://www.france24.com/en/europe/20201220-deploying-5g-will-lead-to-spike-in-co2-emissions-french-climate-council-warns>

WILDLIFE: See list of studies regarding potential harm to wildlife compiled by the Environmental Health Trust, a US foundation run by Nobel lead author and eminent environmental oncologist Dr Devra Davis - <https://ehtrust.org/science/bees-butterflies-wildlife-research-electromagnetic-fieldsenvironment/>

ICNIRP standards are mainly based on acute warming effects, with more than one degree of temperature increase. In several thousand studies, biological effects such as DNA damage have been shown to occur at exposure levels FAR BELOW these standards.

Criticism of ICNIRP by the Council of Europe: "Both the European Parliament (in its resolution 2008/2211(INI)) and the Council of Europe recommend lowering the exposure limits based on the ICNIRP opinions. The Council of Europe in its Opinion of 6 May 2011 on health risks associated with electromagnetic fields (12608)

<https://www.jrseco.com/council-of-europe-advice-on-health-risks-of-electromagnetic-radiation/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I object.

Look at pages 10 & 11 of this News Letter.

SCIENCE against FICTION or NON-THERMAL against THERMAL-ONLY

<https://www.es-uk.info/wp-content/uploads/2022/08/ES-UK-Newsletter-Summer-2022-vol.20-no.1.pdf>

Adverse non-thermal effects have been known since 1733, including EHS from 1746. It is extraordinary that, nearly 300 years later, a small clique of wireless advocates, including the ICNIRP, still denies the established mainstream scientific evidence of adverse non-thermal effects, such as EHS and cancers, and still invalidly claims only thermal effects. In promoting this fiction against the mainstream science, they have been allowed to destroy the lives and livelihoods of millions of people, a process perhaps unique in human history both in scale and in duration. In 1733 non-thermal adverse effects were shown from EMFs. In 1746 non-thermal EHS was shown from EMFs. In 1893 non-thermal adverse effects were shown from RFR. In 1930 the primary adverse effects of RFR in nervous tissue were shown as non-thermal. Internal heating was a secondary by-product of RFR. In 1932 cases of non-thermal EHS were described in Germany. In 1935 the USSR adopted non thermal guidelines. In 1945, radar at non-thermal levels was shown to cause cataracts and cancer. In 1957 parts of the US military rejected this non-thermal scientific evidence. They imposed Schwan's 1953 guidelines based on Schwan's heating myth, described by other parts of the military as 'arbitrary' and unscientific. In 2002 the ICNIRP recognised the need for non-thermal guidelines but in 2020 still proposed only thermal ones. In 2021 US Appeal Judges used the same word 'arbitrary' to describe the FCC's similar failure to assess the non-thermal effects, established since 1733.

More factual newsletters can be print off here: on WWW.ES-UK & <https://www.es-uk.info/newsletters/>

FURTHER PROGRESS ON NON-THERMAL ADVERSE EFFECTS

- In November 2021, the UK High Court in a landmark case overturned approval for a 5G mast since in part the council failed to address the non-thermal health impacts.
- In February 2022, Prof. Hardell et al. published the first definitive health study on 5G. It showed non-thermal EHS symptoms in residents living below a 5G mast on a block of flats.
- In April 2022 Pittsfield's Board of Health in the USA issued a cease and desist notice against a 5G mast after nearby residents developed EHS symptoms from its non-thermal radiation.
- In May 2022 Prof. Belpomme et al. published a study confirming non-thermal EHS: there are "sufficient data for EHS to be acknowledged as a distinctly well-defined and objectively characterized neurologic pathological disorder".
- In May 2022, the Action Against 5G campaign under Michael Mansfield QC was allowed to resume its challenge over the government's failure to provide adequate information about 5G's non-thermal risks, under the Human Rights Act 1998 protecting life, health and dignity.
- In May 2022, Dömötör Z et al confirmed non-thermal EHS in an ecological study.
- In June 2022, a French court ordered a non-thermal 4G mast to be switched off because of the deaths of 20% of a herd of cows after the mast was activated.
- In June 2022, a German court confirmed that landowners and telecoms are liable for nonthermal harm from masts.

UNSCIENTIFIC DENIALS OF NON-THERMAL ADVERSE EFFECTS

- In May 2022 an anonymous author denied that ICNIRP was unscientific without mentioning the adverse non-thermal effects, known since 1733, which ICNIRP unscientifically still denies.
- In May 2022, in an attack on Prof. Frank's criticism of 5G and the need for protection against established non-thermal effects, an anonymous ICNIRP author claimed that "the lowest exposure levels that have been found to cause harm, cause that harm via heating" and thus "all adverse health effects are protected against" if ICNIRP continues to ignore established nonthermal effects.
- In June 2022, Nordhagen EK et al. showed that ICNIRP's circularity of authorship in trying to support its rejection of non-thermal effects appears very close to fraud.
- Throughout 2022, governments have recklessly deployed 5G radiation without scientific evidence proving its non-thermal safety, although the only live study on 5G's health impacts shows that 5G at non-thermal levels can cause EHS symptoms.
- In mid 2022, the UKHSA, which is "responsible for protecting every member of every community from the impact of ... radiological incidents and other health threats", has failed to protect the 3.6% of the population disabled by the extraordinary high levels of RFR/EMFs which the UKHSA allows in the UK by adopting the obsolete ICNIRP 2020 heating guidelines. These fail to protect against non-thermal effects such as ES and EHS.
- In 2022, by still refusing to accept non-thermal effects, UKHSA is failing "to make the nation's health secure", its primary aim. Instead, the UKHSA is victimising and harassing the 3.6% of

the population whose health is ruined by the UKHSA's refusal to accept non-thermal effects

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I object.

Parliamentary Assembly. Resolution 1815 (2011). For all governments to adhere too.

The potential dangers of electromagnetic fields and their effect on the environment

<https://pace.coe.int/en/files/17994>

The whole document is worth reading and covers many key areas. Here is just two item from the resolution.

Summary

The potential health effects of the very low frequency of electromagnetic fields surrounding power lines and electrical devices are the subject of ongoing research and a significant amount of public debate. While electrical and electromagnetic fields in certain frequency bands have fully beneficial effects which are applied in medicine, other non-ionising frequencies, be they sourced from extremely low frequencies, power lines or certain high frequency waves used in the fields of radar, telecommunications and mobile telephony, appear to have more or less potentially harmful, non-thermal, biological effects on plants, insects and animals, as well as the human body when exposed to levels that are below the official threshold values.

One must respect the precautionary principle and revise the current threshold values; waiting for high levels of scientific and clinical proof can lead to very high health and economic costs, as was the case in the past with asbestos, leaded petrol and tobacco.

8.2.1 set preventive thresholds for levels of long-term exposure to microwaves in all indoor areas,

in accordance with the precautionary principle, not exceeding 0.6 volts per metre, and in the medium term to reduce it to 0.2 volts per metre.

EMF Radiation medical research paper written and Compiled by Martin L. Pall, PhD. Professor Emeritus of Biochemistry and Basic Medical Sciences, Washington State University.

<https://www.radiationresearch.org/research/dr-martin-palls-latest-compilation-of-emf-medical-research-literature/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I strongly object. After listening to a world leading expert in the video link provided you will understand why this equipment causes harmful effects on humans and our future population. Radiation damage during pregnancy. How it will affect the birth rates, and the female future population.

video link <https://video.icic-net.com/w/qZp85kgJKC9pLrmruXkPRY>

Dr. Reiner Fuellmich conducts an exclusive interview with Barrie Trower, one of the best known Experts in the field of microwave radiation and frequencies, which have been researched and used

as weapons in intelligence agencies since the early 1950s. Barrie Trower, a former career soldier in the Royal Navy and intelligence officer with MI5 and MI6 is a scientist and has also been a University lecturer. His knowledge in the field of microwave and 5G radiation is of considerable Explosive nature and he feels obliged to bring it to the public, which, just like other whistle-blowers,

Has already put him in life-threatening situations.

He reports precisely about the hazardous, entropic effects of microwaves and the possibility to Manipulate nature (e.g. HAARP) and even program the human brain.

The main focus of his research and warnings is on the fatal, pathogenic effects of the misuse of Microwave radiation and pulse frequencies, which disable the natural protection of the human System after only six minutes, on women, pregnant women, embryos, fetuses and on new-borns. The damage caused is so severe that it brings entire female generational lines to a halt, Endangering human reproduction. Even embryos exposed to these radiations can show cellular

Changes that lead to cancer.

Barrie Trower, a courageous whistle-blower and expert warns of the eminent threat to all life on Earth from 5G microwave radiation, and his urgent warning is timelier than ever.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clew Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: Can we honestly be expected to believe the points of references and peer review material generated by the organisations quoted in the Supporting Document after the last 3 years of false Covid 19 pandemic? All the listed organisations are not lawful and are extremely corrupt. Any decent researcher can prove what I am saying. It's just like the fox guarding the hen house. Local Authority Toolkit 5G & Health states:

For further information, below we have listed additional external sources that you may find helpful in regard to 5G and health.

Ofcom and HM Government 5G health guide: https://uploads-ssl.webflow.com/5b7ab54b285deca6a63ee27b/5f3fbf86c97b38101210ae5a_5G%20EMF%20Guide.pdf

Public Health England - 5G technologies: radio waves and health:

<https://www.gov.uk/government/publications/5g-technologies-radio-waves-and-health/5g-technologies-radiowaves-and-health>

World Health Organization (WHO) - Radiation: 5G mobile networks and health:

<https://www.who.int/news-room/q-a-detail/radiation-5g-mobile-networks-and-health>

Which? - Is 5G safe?: <https://www.which.co.uk/news/2020/06/is-5g-safe-everything-you-need-to-know-on-the-5g-powered-future/>

BBC - Does 5G pose health risks?: <https://www.bbc.co.uk/news/world-europe-48616174>

BBC Click - Testing the safety of 5G:

<https://www.youtube.com/watch?v=k2t1dUCyE0I&feature=youtu.be>

Cancer Research UK - Do mobile phones cause cancer?:

<https://www.cancerresearchuk.org/about-cancer/causes-of-cancer/cancer-myths/do-mobile-phones-cause-cancer>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: i object.

Here is a excellent link with loads of informative factual videos from reliable sources.

The dangers of this technology is clearly deadly, indiscriminate and it should not be easily accepted as safe.

Please reconsider this application being in a high residential area .the negative health implications of giving 300hertz pass through the body are now gong raised in every medical journals, you're going to have a up rise in cancers , blood disorders, and so on, if you're ready for the damage it will cause .and ill health it will bring

Profits before people's health and safety will not be accepted nor will the excuse I was just doing my job in any court of law when people are held accountable.

<https://actionagainst5g.org/health/health-impacts/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

Scientific evidence invalidates health assumptions underlying the ICNIRP exposure limit determinations for radiofrequency radiation: implications for 5G - Environmental Health

"In this paper, we highlight studies that demonstrate the fallacy of inherent assumptions in the ICNIRP guidelines for RF radiation exposure limits, and we find that the limits fail to protect human and environmental health. Fourteen assumptions that underlie the RFR exposure limits established in the 1990s and reaffirmed in 2020 by the FCC and ICNIRP are addressed in this paper"

<https://link.springer.com/article/10.1186/s12940-022-00900-9/figures/1>

Exposure limits for RF radiation are based on numerous assumptions; however, research studies published over the past 25years show that most of those assumptions are not supported by scientific evidence.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clew Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

. Based exposure standards for low-intensity electromagnetic radiation.

5G EMF - 1557 Page Report from 2012 outlining ALL the Damage Caused.

BioInitiative 2012.

A rationale for biologically - Based exposure standards for low-intensity electromagnetic radiation.

Henry Lai's Research Summaries

Research Summaries have been updated in 2022 for genetic, neurological and free radical (oxidative damage) studies. They are subdivided to show ELF-EMF/static field from RFR studies.

<https://bioinitiative.org/research-summaries/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: This equipment is extremely dangerous to people's health and well-being.

Within this link below you will find 28 sections. Just looking at the title is scary enough. The Harmful effects and reports are there supporting why emf are dangerous to all life.

https://bioinitiative.org/wp-content/uploads/pdfs/secii_Table_of_Contents.pdf

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I object.

Scientists call for Protection from Non-ionizing Electromagnetic Field Exposure

If the equipment and technology cannot be proven to cause no harm it shouldn't be allowed to endanger our community and residents.

International Appeal

Scientists call for Protection from Non-ionizing Electromagnetic Field Exposure

We are scientists engaged in the study of biological and health effects of non-ionizing electromagnetic fields (EMF). Based upon peer-reviewed, published research, we have serious concerns regarding the ubiquitous and increasing exposure to EMF generated by electric and wireless devices. These include-but are not limited to-radiofrequency radiation (RFR) emitting devices, such as cellular and cordless phones and their base stations, Wi-Fi, broadcast antennas, smart meters, and baby monitors as well as electric devices and infra-structures used in the delivery of electricity that generate extremely-low frequency electromagnetic field (ELF EMF).

Scientific basis for our common concerns

Numerous recent scientific publications have shown that EMF affects living organisms at levels well below most international and national guidelines. Effects include increased cancer risk, cellular stress, increase in harmful free radicals, genetic damages, structural and functional changes of the reproductive system, learning and memory deficits, neurological disorders, and

negative impacts on general well-being in humans. Damage goes well beyond the human race, as there is growing evidence of harmful effects to both plant and animal life.

These findings justify our appeal to the United Nations (UN) and, all member States in the world, to encourage the World Health Organization (WHO) to exert strong leadership in fostering the development of more protective EMF guidelines, encouraging precautionary measures, and educating the public about health risks, particularly risk to children and fetal development. By not taking action, the WHO is failing to fulfil its role as the preeminent international public health agency.

Link to article listing PHD Scientists calling for Protection from Non-ionizing Electromagnetic Field Exposure.

<https://emfscientist.org/index.php/emf-scientist-appeal>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

UK.Gov legislates for Ofcom. The fox guarding the hen house. So it's clearly corporate profit before health and wellbeing of humans.

UK Government Policy on Mobile Infrastructure Deployment. is an expectation not law.

Concerns Ref: SITE SUPPLEMENTARY INFORMATION document dated 13.02.23.

http://planninganddevelopment.nelincs.gov.uk/online-applications/files/8846CE6A0800313C1D7365496204D0AD/pdf/DM_0114_23_PAT-SITE_SUPPLEMENTARY_INFORMATION-1637389.pdf

1. There is a big presumption made why pre-application advice was not sought from the LPA.
2. Who. And when In accordance with the Code of Best Practice this site has been given a rating of Green?

It states: We operate in accordance with the Code of Best Practice on Mobile Network Development (Nov. 2016). So where is the proof and evidence they have met all the requirements.

Look in to the following:

- <https://post.parliament.uk/research-briefings/post-pb-0032/>
- <https://ehtrust.org/the-european-parliament-panel-health-impact-of-5g/>
- 5G Related carcinogenic and reproductive/development hazards.
- Commonalities between Covid-19 and radiation injury.

- They have been installed by our local council illegally with.
- No Health and Safety Risk Assessment.
- No Environmental Impact Analysis.
- <https://www.gov.uk/government/publications/health-impact-assessment-tools>
- No Insurance Policy for the equipment.

Description of the Site clearly states what or whom is nearby and will be effected.

Quote:

The wider locality predominantly comprises residential dwellings, as well as further mixed uses surrounding the south and east of the Rugby Club such as Medical Centre, a Hotel and a Community Centre

At the beginning of March 2017 the Department of Culture, Media and Sport (DCMS) issued an updated UK Digital Strategy (UK Digital Strategy) with the goal of ensuring that the UK delivers a "world-leading digital economy that works for everyone".

There's pressure and a conflict of interest put upon the planning departments as the National Planning Policy Framework (NPPF) was published in 2021. The Government's policy strongly supports communications infrastructure.

Local Policy The North East Lincolnshire Local Plan (Part 1), 2018 sets out the development management policies in the area. The following policies are relevant to the proposal:

Policy 35 Telecommunications 1. Proposals for telecommunications development, including consideration of appropriate prior approval applications will be permitted, or determined, provided that: A. the development is appropriate in terms of siting and appearance, having regard to technical and operational constraints, and does not intrude into or detract from the landscape or urban character of the area; B. applicants demonstrate a sequential approach to show that development cannot be accommodated with less visual intrusion; i. on an existing building, mast or other structure; or, ii. on a site that already contains telecommunications equipment; before new sites

Policy 41 Biodiversity and Geodiversity.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I object.

5G exposure effects

Two U.S. government reports from the 1970s to 1980s provide evidence for many neuropsychiatric effects of non-thermal microwave EMFs, based on occupational exposure studies. 18 more recent epidemiological studies, provide substantial evidence that microwave EMFs from cell/mobile phone base stations, excessive cell/mobile phone usage and from wireless smart meters can each produce similar patterns of neuropsychiatric effects, with several of these studies showing clear dose-response relationships. Lesser evidence from 6 additional studies suggests that short wave, radio station, occupational and digital TV antenna exposures may produce similar neuropsychiatric effects. Among the more commonly reported changes are sleep disturbance/insomnia, headache, depression/depressive symptoms, fatigue/tiredness, dysesthesia, concentration/attention dysfunction, memory changes, dizziness, irritability, loss of appetite/body weight, restlessness/anxiety, nausea, skin burning/tingling/dermographism and EEG changes. In summary, then, the mechanism of action of microwave EMFs, the role of the VGCCs in the brain, the impact of non-thermal EMFs on the brain, extensive epidemiological studies performed over the past 50 years, and five criteria testing for causality, all collectively show that various non-thermal microwave EMF exposures produce diverse neuropsychiatric effects.

taken from this article.

<https://pubmed.ncbi.nlm.nih.gov/26300312/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clew Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

5G ill-health effects.

Millimeter (MM) wave and microwave frequency radiation produce deeply penetrating effects: the biology and the physics

Millimeter wave (MM-wave) electromagnetic fields (EMFs) are predicted to not produce penetrating effects in the body. The electric but not magnetic part of MM-EMFs are almost completely absorbed within the outer 1 mm of the body. Rodents are reported to have penetrating MM-wave impacts on the brain, the myocardium, liver, kidney and bone marrow. MM-waves produce electromagnetic sensitivity-like changes in rodent, frog and skate tissues. In humans, MM-waves have penetrating effects including impacts on the brain, producing EEG changes and other neurological/neuropsychiatric changes, increases in apparent electromagnetic hypersensitivity and produce changes on ulcers and cardiac activity. This review focuses on several issues required to understand penetrating effects of MM-waves and microwaves:

link to article.

<https://pubmed.ncbi.nlm.nih.gov/34043892/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

5G ill-health issues.

Electromagnetic hypersensitivity (EHS, microwave syndrome)

"Microwave syndrome", is a clinical syndrome characterized by the presence of a wide spectrum of non-specific multiple organ symptoms, typically including central nervous system symptoms, that occur following the patient's acute or chronic exposure to electromagnetic fields in the environment or in occupational settings. Numerous studies have shown biological effects at the cellular level of electromagnetic fields (EMF) at magnetic (ELF) and radio-frequency (RF) frequencies in extremely low intensities. Many of the mechanisms described for Multiple Chemical Sensitivity (MCS) apply with modification to EHS. Repeated exposures result in sensitization and consequent enhancement of response. Many hypersensitive patients appear to have impaired detoxification systems that become overloaded by excessive oxidative stress. EMF can induce changes in calcium signalling cascades, significant activation of free radical processes and Overproduction of reactive oxygen species (ROS) in living cells as well as altered neurological and Cognitive functions and disruption of the blood-brain barrier.

link to article.

<https://pubmed.ncbi.nlm.nih.gov/32289567/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I object.

Who is taking full public liability in their person capacity for any loss, harm or injury caused by this equipment being installed under this planning application?

Name the Wo/Man taking liability not their position within a company. and do not give any company name taking full liability.

Any persons rebutting any information outlined in this document needs to validate their rebuttal claims or statements with factual evidence written in plain English. Wo/Men who wish fact check or rebut items covered in this document may wish to contact or seek advice and guidance. To the best of my knowledge these are key people within NE Linc's council who may be able to help in building any rebuttal:

Rob Walsh, NEL Chief Executive, rob.walsh@nelincs.gov.uk

Simon Jones, NEL Chief Legal Monitoring Officer, simon.jones1@nelincs.gov.uk

Richard Catlyn, NEL Service Manages, Richard.catlyn@nelincs.gov.uk

Paul Ellis, NEL Head of Information, Governance & Complaints, paul.ellis@nelincs.gov.uk

The Section 151 Officer is Sharon Wroot. (Sharon.wroot@nelincs.gov.uk telephone (01472) 324423)

I believe residents and visitors within NE Lincs are being exposed to adverse health effects of 5G. Look in to the following:

- <https://post.parliament.uk/research-briefings/post-pb-0032/>

- <https://ehtrust.org/the-european-parliament-panel-health-impact-of-5g/>
- 5G Related carcinogenic and reproductive/development hazards.
- Commonalities between Covid-19 and radiation injury.
- They have been installed by our local council illegally with.
- No Health and Safety Risk Assessment.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:5G Planning I've added objection comments to.

After speaking with a NEL Case planning officer, I was informed when objections or comments are submitted the system they use for accessing the data will not or does not allow the planning department staff to open certain links to online pdfs, videos or important factual material that members of the public may use in validation to support any quotes or claims they which to make and support with evidence. In my opinion the system and regulations are not fit for purpose. The advice I was given was to write in the comments box which allows up to 5000 words. This is sometimes is not enough to explain or put across certain perspectives or viewpoints. Yes the public can contact the case officers on the phone but this information is not recorded on the data base for future ref

When similar applications with dangerous and harmful equipment are repeatedly being allowed to be submitted then it's best that people can clearly see if key factual details are being ignored. Yes. All the planning applications are accessible on an open source public access data base. Here is a list of similar telecommunications, Cell towers, monopoles, Lattice towers, aerial, radio, and microwave, radiation frequency, transmitting equipment applications I have raised my objections and concerns on in the past.

25 - 29 St Peters Avenue Cleethorpes North East Lincolnshire DN35 8HF.

Ref. No: DM/1053/22/PAT. Case officer. Owen Toop.

<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?keyVal=RM636FLJMIY00&activeTab=summary>

Mast At Grimsby Rugby Club Springfield Road Grimsby North East Lincolnshire DN33 3JE
Ref No. DM/0114/23/PAT Case officer. Owen Toop.
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?keyVal=RQ0YHELJHWZ00&activeTab=summary>

Civic Centre Pelham Road Immingham North East Lincolnshire DN40 1QF
Ref No. DM/0192/23/PAT Case officer. Owen Toop.
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?keyVal=RQYCPNLJIBB00&activeTab=summary>

Land West Of Winchester Avenue Grimsby North East Lincolnshire
Ref No. DM/0573/23/PAT Case officer. Owen Toop
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?activeTab=makeComment&keyVal=RW90FPLJJHX00>

Land At Laceby Road Grimsby North East Lincolnshire DN34 5BG
Ref No. DM/0545/23/PAT Case officer. Becca Soulsby
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?activeTab=summary&keyVal=RVW1Q7LJJEM00>

DM/0611/23/PAT | Proposed installation of 15m high Phase 8 monopole, 6no. antennae, 2no. ground-based equipment cabinets, 1no. meter cabinet and ancillary development thereto. | Land At Grimsby Road Cleethorpes North East Lincolnshire
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?activeTab=summary&keyVal=RWV8DZLJJM300>

DM/0598/23/PAT | Proposed installation of 15m high Phase 8 monopole, 6no. antennae, 2no. ground-based equipment cabinets, 1no. meter cabinet and ancillary development thereto | Land At Cromwell Road Grimsby North East Lincolnshire
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?activeTab=summary&keyVal=RWLZ5WLJJKM00>

DM/0597/23/PAT | Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development | Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East Lincolnshire DN35 8AF
<http://planninganddevelopment.nelincs.gov.uk/online-applications/applicationDetails.do?activeTab=dates&keyVal=RWLZ4SLJJKK00>

No matter if it is the company, corporation or individual submitting and dealing with any planning application they all need to be aware of the following laws within our society that they need to abide by.

Ignorance of the law is no excuse.

"Ignorantia Juris Non Excuse"

<https://www.gov.uk/hmrc-internal-manuals/compliance-handbook/ch160600>

Charter of the United Nations and the principles of international law, "No Harm Rule."

<https://leap.unep.org/knowledge/glossary/no-harm-rule>

Misconduct in Public Office

<https://www.cps.gov.uk/legal-guidance/misconduct-public-office>

via the

Bill of Rights [1688]

1688 CHAPTER 2 1 Will and Mar Sess 2

An Act declaring the Rights and Liberties of the Subject and Settling the Succession of the Crowne.

<https://www.legislation.gov.uk/aep/WillandMarSess2/1/2/introduction>

it clearly states Crown cannot be held liable when their actors do not do their job, so with knowledge persons can no longer claim a honest mistake. Under:

Crown Proceedings Act 1947

UK Public General Acts, .1947 c. 44 (Regnal. 10_and_11_Geo_6) Part I. Section 2

Liability of the Crown in tort.

<https://www.legislation.gov.uk/ukpga/Geo6/10-11/44/section/2>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

EMF Radiation maximum exposure = 1MW per cm² which equals 60 Electron volts in air. At these levels it causes a thermal impact that starts cooking people. It also causes EM Radiation poisoning.

Symptoms: Ring in the ears. Hair loss. Skin problems. Depression. Anxiety. Breathing issues. Cancer and many more including Leukaemia.

The guild lines state 61 Electron volts.

At 13.5 Electron volts air starts to become positively charged which effects many organs in our bodies including Kidneys. Liver plus an increase in Heart attacks.

This technology uses focused beam waves which puts it in the Category 1 cancer causing radiation equipment. It also causes ionization with energy values over 13.5 Electron volts.

To obtain the correct desired effect these installations (Cell towers/Transmitters/repeaters) require an overlapping transmit ion which have a compounding outputs above 13.5 EV.

Why have they been installed by our local council illegally with?

- No Health and Safety Risk Assessment.
- No Environmental Impact Analysis.
- <https://www.gov.uk/government/publications/health-impact-assessment-tools>
- No Insurance Policy for the equipment.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

35 wilful deployment of (5GW) Fifth Generation Weapons equipment

BACKGROUND

The Authority has been engaged in the wilful deployment of (5GW) Fifth Generation Weapons equipment emitting biologically toxic radiation across the Town/city, without any due care to the dangers posed to environment from the battlefield urban radar technology. This hardware by design to cause torturous, physical, including psychological harms and death to the population. Criminal entities within the Councils, following Globalist terrorism goals have facilitated this illegal unlawful deployment to create a 15min digital city prison for the control and extermination of the population. The criminals are relying on 5GW for imminent terrorism attacks to cause death and the destruction of property

THE LAW

Criminal Law act 1967 Section 3 (1) A person may use such force as is reasonable in the circumstances in the prevention of crimes. The necessity of my actions are fulfilling my legal duty, availing myself to my legal right to prevent a more serious evil to myself and others from a number

of crimes including the following.

17) 2012 Social care Act, P.21 (4) applies in relation to any function under this section which relates to- (a) the protection of the public from ionizing or non-ionizing radiation

18) 1981 Wildlife and Countryside Act.

19) Equality and disability Act 1995 Section 55. It is unlawful to discriminate against another by way of victimization

20) DIRECTIVE 2009/147/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on the conservation of wild birds

21) Article 174 (2) The European Community treaty provides that all Community policy on the environment shall be based on the precautionary principle the environmental protection act 1990.

22) Forgery act 1913 by false representation tendering and using false instrument

23) Misconduct in Public office.

24) Offences against the person Act 1861 the administering of a noxious substance a destructive thing occasioning harm.

25) Accessories and Abettors Act 1861 as amended by the Criminal law act 1977

26) Genocide Act 1969 section (a) killing members of the group (b) causing serious bodily or mental harm to members of the group (c) deliberately inflicting on the group conditions of life calculated to bring about its physical destruction in whole or in part (d) imposing measures intended to prevent births within the group.

27) The Nuremberg Code.

28) Article 174 (2) The European Community treaty provides that all Community policy on the environment shall be based on the precautionary principle the environmental protection act 1990.

29) DIRECTIVE 2009/147/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 30 November 2009 on the conservation of wild bird

30) Infant life (Preservation) Act 1929 offences against a foetus causing child destruction

31) Health and Safety Statutory instruments. No 588. The control of Electromagnetic fields at work regulations 2016

32) EN 62311:2008 Assessment of electronic and electrical equipment related to human exposure (0Hz-300GHz)

Human rights laws, including

Article 2 - Right to life

Article 3 - Prohibition of torture and inhuman and degrading treatment

Article 5 - Right to liberty and security

Article 8 - Right to respect for private and family life

Article 14 - Prohibition of discrimination

Torts, negligence, privacy, enjoyment of one's land, assault and trespass against the person due to the reckless deployment of the Telensa radar battlefield derived weapon by the D's.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I object.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8580522/>

In this study, we examined the peer-reviewed scientific literature on the detrimental bioeffects of Wireless Communication Radiation (WCR) and identified several mechanisms by which WCR may have contributed to the COVID-19 pandemic as a toxic environmental cofactor. By crossing boundaries between the disciplines of biophysics and pathophysiology, we present evidence that WCR may:

- (1) cause morphologic changes in erythrocytes including echinocyte and rouleaux formation that can contribute to hypercoagulation;
- (2) impair microcirculation and reduce erythrocyte and haemoglobin levels exacerbating hypoxia;
- (3) amplify immune system dysfunction, including immunosuppression, autoimmunity, and hyperinflammation;
- (4) increase cellular oxidative stress and the production of free radicals resulting in vascular injury and organ damage;
- (5) increase intracellular Ca²⁺ essential for viral entry, replication, and release, in addition to

promoting pro-inflammatory pathways; and

(6) worsen heart arrhythmias and cardiac disorders.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

5G does not comply with ICNIRP Guidelines. ICNIRP self cert is a false instrument this is fraud.
The Forgery and Counterfeiting Act 1981.

Definitions

False instrument

Section 1 Forgery Act 1981 states:

A person is guilty of forgery if he makes a false instrument, with the intention that he or another shall use it to induce somebody to accept it as genuine, and by reason of so accepting it to do or not to do some act to his own or any other person's prejudice."

It must be shown that D intended for the false instrument it be used to induce somebody to accept it as genuine and, by reason of so accepting it, to do or not to do some act to his own or another's prejudice: R. v. Mary Sylvia Campbell (1985) 80 Cr.App.R. 47, CA.

An intention to induce another to accept a copy of a forgery will also suffice: R v Ondhia (1998) 2 Cr.App.R 150 CA

"Instrument" - the definition for instrument is found at section 8 Forgery and Counterfeiting Act 1981

Instrument includes any document, postage stamp (or mark denoting payment) , Inland Revenue stamp, disk tape, sound track or other device on which information is stored by any means. It does not include a currency note (see offences under sections 14, 16, 17, 20 and 21 Forgery and Counterfeiting Act 1981).

<https://www.cps.gov.uk/legal.../forgery-and-counterfeiting>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

5G does not comply with ICNIRP Guidelines. ICNIRP self cert is a false instrument this is fraud.
The Forgery and Counterfeiting Act 1981.

Definitions

False instrument

Section 1 Forgery Act 1981 states:

A person is guilty of forgery if he makes a false instrument, with the intention that he or another shall use it to induce somebody to accept it as genuine, and by reason of so accepting it to do or not to do some act to his own or any other person's prejudice."

It must be shown that D intended for the false instrument it be used to induce somebody to accept it as genuine and, by reason of so accepting it, to do or not to do some act to his own or another's prejudice: R. v. Mary Sylvia Campbell (1985) 80 Cr.App.R. 47, CA.

An intention to induce another to accept a copy of a forgery will also suffice: R v Ondhia (1998) 2 Cr.App.R 150 CA

"Instrument" - the definition for instrument is found at section 8 Forgery and Counterfeiting Act 1981

Instrument includes any document, postage stamp (or mark denoting payment) , Inland Revenue stamp, disk tape, sound track or other device on which information is stored by any means. It does not include a currency note (see offences under sections 14, 16, 17, 20 and 21 Forgery and Counterfeiting Act 1981).

<https://www.cps.gov.uk/legal.../forgery-and-counterfeiting>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

I Object.

Is the council tax payers liable as We can claim for 20% loss of value due to 5G. 20% is the average reduction in house value and also mention cancer increase to wake the community up?

<https://www.gov.uk/.../land.../part-2-blight-notice>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:

My reasons for objection are:

Telecommunications is a threat to public health. It causes many issues. Look at these which will explain the harm this technology causes.

Video 1. Graphene oxide reacts on radio waves. <https://youtu.be/-jPEpmYHkRo>

Video 2. Graphene oxide reacting to mobile phone frequency. <https://youtu.be/mZWgnnuIXr8>

Video 3. Any kind of wifi, RF, EMF will damage your blood cells. <https://youtu.be/oHxxNgEoJwk>

Video 4. 5G IS A WAR ON OXYGEN, A WAR ON IODINE, A WAR ON IRON, A WAR ON HEMOGLOBIN AND A WAR ON THE CENTRAL NERVOUS SYSTEM.

<https://youtu.be/oY5SReQ2Kqc>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: My objections are based around Safety Standards & guidance.

Why are NELC planning dept not addressing the following items listed below?

No.1. 5G pre installation Legal requirements.

<https://www.gov.uk/government/publications/health-impact-assessment-tools>

No.2. This guide supports the use of HIA in the process of plan making (when developing policies in local plans) and planning applications (designing proposals for development projects).

<https://www.gov.uk/government/publications/health-impact-assessment-in-spatial-planning>

No.3. Exposure Levels to Harmful Radiofrequency Radiation

<https://www.radiationresearch.org/uncategorised/court-ruling-health-impact-of-radiation-exposure-from-cell-tower-cannot-be-excluded-netherlands/>

No.4 Charter of the United Nations and the principles of international law, "No Harm Rule".

<https://leap.unep.org/knowledge/glossary/no-harm-rule>

No.5. IEEE Standard for Safety Levels with Respect to Human Exposure to Electric, Magnetic, and Electromagnetic Fields, 0 Hz to 300 GHz. <https://standards.ieee.org/ieee/C95.1/4940/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: My concerns are about who will take liability for any loss, harm or injury this equipment will cause and the owners and installers require insurance at each stage including operational liability cover.

lloyds insurers refuse to cover 5g wi-fi illnesses

Article 1. <https://principia-scientific.com/lloyds-insurers-refuse-to-cover-5g-wi-fi-illnesses/>

Article 2. <https://www.rfsafe.com/lloyds-of-london-insurance-wont-cover-smartphones-wifi-smart-meters-cell-phone-towers-by-excluding-all-wireless-radiation-hazards/>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: Have you ensured this planning application meets all the requirements in which are outlined and is the current Statutory instrument Known as: The Town and Country Planning (General Permitted Development) (England)?

The Town and Country Planning (General Permitted Development) (England) (Amendment) (No. 2) Order 2016

<https://www.legislation.gov.uk/ukxi/2016/1040/made>

The Town and Country Planning (General Permitted Development) (England) (Amendment) (No. 3) Order 2020

<https://www.legislation.gov.uk/ukxi/2020/756/made>

I would like to draw your attention to Some Items covered within the National Planning Policy Framework that may help addressing the public's comments. This National planning policy fails to take into account the real dangers. It's been well documented the dangers these installation have on the health of Humans. Wildlife and vegetation.

Explain legally and lawfully why for every application there is.

1. No Health and Safety Risk Assessment.
2. No Environmental Impact Analysis.
3. No Insurance Policy for the equipment, against loss, harm or injury from the effects of 5G.

<https://www.gov.uk/government/publications/national-planning-policy-framework--2>

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: Health & Safety. Warning signs.

In today's world there are too many dangers and hazards. Some are more obvious than others. So various methods are used to make humans and wildlife aware. Sometimes visual signs may work, sometimes it may require mechanical or physical barriers or zones. This is why the various Regulatory agencies are put in place. One area that is not being addressed is telecommunications equipment.

As part of this installation will NELC take corrective action in addressing this subject of: Informative signs and protective barriers to be put in place on all NELC past and future approved installations of telecommunication towers, poles, lattice masts, aerials, transformers substations, power supply.

This equipment is normally painted in a bland colour instead of being highly visible as any commercial or industrial site would be required to comply and abide by to make all parties aware when entering dangerous areas.

For example you would not want someone with a heart pacemaker going or living near a transmitter emitting a harmful energy wave.

Over many years the installers and operators have negated their responsibility. There can be many reasons, we can speculate like additional cost, sloppy regulations, raising the alarm and shining a spot light when pointing out the truth .

https://en.wikipedia.org/wiki/Regulatory_agency

<https://www.hse.gov.uk/radiation/ionising/index.htm>

<https://www.gov.uk/government/organisations/environment-agency>

<https://www.legislation.gov.uk/>

https://en.wikipedia.org/wiki/List_of_national_legal_systems

List of UK network providers.

https://en.wikipedia.org/wiki/List_of_mobile_network_operators_of_Europe#United_Kingdom

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Paul Draper

Address: 38 Faulding Way, Grimsby, North East Lincolnshire DN37 9SE

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I believe the law is incorrectly being applied and legislations after 1973 are unlawfully due to an act of treason.

I believe the law is incorrectly being applied and legislations after 1973 are unlawfully due to an act of treason carried out by the government in charge at that point of time, meaning we have been acting in the colour of law after 1973. There was a Commonwealth Office memo/document "FCO 30/1048". This document was classified as confidential and remained hidden from the public for 30 years. I will try to give a brief outline why.

Margret Thatcher and the 1974 government of the day was in full knowledge, but Edward Heath in his esteemed corruption decided to bury his advice given to him. He was plainly told he was committing treason (See FCO30/1048 <http://www.acasefortreason.co.uk/fco-30-1048/#top1>)

Planning Paper on a question of entry into the European Communities and its effect on British Sovereignty. If we were to join the EEC or EU the UK will lose its sovereignty and the country will become a corporation. The Monarch's title also changed to Head of State because every sovereign resident in Great Britain became known as a citizen of the UK which is a corporation.

The laws protecting our birth rights are:

Superior Statutes:-

- 1688 Coronation Oath
- 1689 Bills of Rights
- 1700 Act of Settlement
- 1795 Treason Act

1689 Bill of Rights. Express words are - Stands for all time (In Perpetuity). Every Monarch will abide by that In Perpetuity, so every Monarch has to abide by the 1689 Bill of Rights.

https://en.wikipedia.org/wiki/Bill_of_Rights_1689

Every organisation has a fiction of law called Constituting Authority what give it power to act, So the Constituting Authority of those governing today is 1689 Bill of Rights in the first sentence it says Parliament Assembled is claiming to be representative therefore saying we the people are the Master and they are the Agent, therefore that totally undermines any rationality for Parliament to believe that they are Sovereign over the people what happened is the 1688 Coronation Oath is that the Monarch, the incoming Monarch promises to govern us according to our respective laws and customs.

Understanding Legislation. Gov.Uk

<https://www.legislation.gov.uk/understanding-legislation>

Admissions Legislation is not law.

<https://youtu.be/B8LlbXjjR7c>

Legislation is merely advice and guidance to deliver the obligations of those governing as set out in The Bill of Rights 1688 to the people who hold those governing to account in the independent judiciary, thereby creating the common law.

Legislation = administrative law.

Understanding legislation

<https://www.legislation.gov.uk/understanding-legislation#Howlegislationworks>

How legislation comes into force and is amended

An Act of Parliament creates a new law or changes an existing law. An Act is a Bill that has been approved by both the House of Commons and the House of Lords and been given Royal Assent by the Monarch. Taken together, Acts of Parliament make up what is known as Statute Law in the UK.

Acts of Parliament make up what's known as Statute law in the UK.

Primary legislation = Statute law & equals merely a common law contract by the consenting parties.

Policy is not law.

Secondary legislation.

<https://www.legislation.gov.uk/understanding-legislation#Howlegislationworks>

Secondary legislation = Agency

Understanding legislation

Secondary legislation' (also called 'subordinate legislation') is delegated legislation made by a person or body under authority contained in primary legislation. Typically, powers to make secondary legislation may be conferred on ministers, on the Crown, or on public bodies. For example, the Office of Communications (OFCOM) is given such powers by the Communications Act 2003.

Case Law

Case law = common law precedence.

Case law is the set of rulings from court judgements that set precedents for how the law has been interpreted and applied in certain cases. Case law is not held on legislation.gov.uk.

So if there is no case law, then an Act of Parliament by admission, and hence it is not disputed, has no force of law, as again confirmed in Understanding legislation on legislation.gov.uk

Act of Settlement (1700)

The Laws of England are the Birth right of the People.

<https://www.legislation.gov.uk/aep/Will3/12-13/2/section/IV>

<https://www.legislation.gov.uk/aep/Will3/12-13/2>

.

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr richard Fields

Address: 8 giles street Cleethorpes

Comment Details

Commenter Type: Neighbour

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: We as resident's in the area appose this roll out of 5g networks , mental health and health is above all thing material

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Jonathan Garton

Address: Lindsey Hall Care Home Clee Road Cleethorpes

Comment Details

Commenter Type: Neighbour

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I am writing on behalf of Yorkare Homes and the residents at Lindsey Hall Care Home. The Home has circa 70 residents at any one time, 100 staff members and many visiting families.

We have spoken to the residents, the staff team and families and the main reasons given from these discussions, on why we believe the mast should not be located in this location, are as follows:

1. The removal of an established tree on our land has not been discussed with us and we do not agree to this work being completed. This tree is in a prime location on our land and had been key in deciding to have our main dining room located in the corner of the building, so our residents could enjoy it during their meal times. To replace this tree with a mast will have a negative impact on our residents
2. The mast and additional cabinets will become an obstacle and therefore a hazard for residents who regularly walk on Clee Road. We have a Walking Club which could be impacted. The majority of our residents use wheelchairs or walking aids. If it is harder for residents to go for walks they will ultimately decide to not go for them, which will have a negative impact on their health and well being.
3. Unknown potential health hazards from living so close to these masts has been raised as a concern, especially with how vulnerable the residents at the Home are.
4. A negative impact on the view for residents who live in bedrooms facing on to Clee Road.

One family member raised the question that 'In order for these applications to be compliant with the Department for Digital, Culture, Media & Sport's Code of Practice for Wireless Network

Development in England, Section 84 of the Code of Practice identifies that a pre-application consultation with the local community is appropriate and that a greater level of community consultation may be considered for a new site.' No community consultation has taken place with us at Lindsey Hall Care Home from ThreeUK

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Gayle Aisthorpe

Address: 21 Neville Street Cleethorpes

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: Please could we have a signed safety report on the safety of 5g please

Comments for Planning Application DM/0597/23/PAT

Application Summary

Application Number: DM/0597/23/PAT

Address: Land Outside Of Lindsey Hall Nursing Home Clee Road Cleethorpes North East
Lincolnshire DN35 8AF

Proposal: Prior approval for 15m monopole, 2no. equipment cabinets with associated meter cabinet and ancillary development

Case Officer: Owen Toop

Customer Details

Name: Mr Martin Grant

Address: 6 Stokesly Walk Grimsby

Comment Details

Commenter Type: Member of the Public

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: These masts have warnings on them about radiation ,yet you continue to blanket areas with them

Radiation has a life span of 30,000 years so leakages etc pollute everywhere the more you put up the more the risks to public health .and Radiation is a cause of cancer .too much Sun etc

Where are the Public Health risk assessments